

Brand: Alpine Car Audio Product Code: S-S10TW Availability: In Stock UPC: 793276242853

Phone: (216) 252-3000 - Email:

sales@access1alarm.com

MPN: S-S10TW

Location: Cleveland, Ohio

Price: \$89.99

Short Description

The S-S10TW Tweeter's compact size and wide frequency range is an efficient and affordable upgrade to any factory or aftermarket sound system. Crossover: Passive 12dB/Octave High-Pass Filter

Description

The S-S10TW Tweeter's compact size and wide frequency range is an efficient and affordable upgrade to any factory or aftermarket sound system.

Features

- Two (2) 1" Tweeters
- Silk Dome Material
- High-Grade Neodymium Motor Structure
- Includes Passive Crossover: 12dB/Octave High-Pass
- Includes a 15-degree Swivel Flush Cup Housing
- Includes a height adjustable stealth OEM mount



HIGH POWER HANDLING FOR HIGH VOLUME

The S-S10TW Tweeter's motor structure was designed to reduce distortion and increase output at high volumes, so you can turn your music up and still experience crystal clear sound. Brighten up your sound stage without sounding overpowering or compromising sound quality. The silk dome design minimizes harsh highs and instead produces a warm and mellow tone.



SMOOTH TRANSITIONS

The S-S10TW includes a small, in-line crossover made of high-grade electrical components that seamlessly rolls off your midrange while also passively protecting your tweets from low frequency damage. The small size of the crossover also makes installation fast and convenient.

OPTIMIZED LISTENING EXPERIENCE

The S-S10TW includes two tweeters that measure at a mere 1" with a mounting

depth of .70" for easy installation in almost any vehicle. The tweeters can be flush mounted or installed with a high adjustable stealth OEM mount bracket (included), which allows them to be mounted on the top, bottom, or behind factory grill locations. The Alpine logo is removable for stealth installation applications. Each soft dome comes enclosed in an adjustable swivel cup housing and directs the sound optimized for listener preference and vehicle imaging. For a perfect system matching experience, pair the S-S10TW with Alpine's S-Series sound family.

Specification

Speakers	
Alpine	
1"	
Tweeter	
88	
1Hz - 22kHz	
6 Ohm	
80 Watts / 240 Watts Max	
Silk	
Rubber	
Poly Propylene	
Silk	
Yes	
No	