

1512



Brand: Excalibur
Product Code: 1512
Availability: In Stock
UPC: 289538970584
FCC ID: ELVNTRRG
MPN: 1512-03E
Location: Cleveland, Ohio

Price: \$179.99

Short Description

Excalibur 1512-03E 2-Way 1-Mile Range Color LCD Remote Control

Description

Brand NEW Excalibur 1512-03E 2-Way 1-Mile Range Color LCD Remote Control Transmitter

The Excalibur 1512-03E 2-way 1-mile remote control is Excalibur's premium color LCD screen. Do you have a compatible Excalibur systems? You can replace those remotes with this Excalibur remote control. Reference the application table below.

This remote control is new from the original manufacturer ensuring that you are receiving a genuine product made for your Excalibur system.

Works with the following Excalibur systems:

- AL-2075-3DBL

Will replace the following remote Excalibur remote controls:

- 1512-03E
- 1513-03E

Please make sure you have a working control unit installed in the vehicle prior to ordering this remote control. Programming instructions are included in the package and will require accessing your valet/programming switch.

Please contact us if you have any questions.

PROGRAMMING INSTRUCTIONS:

Standard Programming: This method to program additional or replacement transmitters does not affect the Unauthorized Transmitter Alert (UTA) feature. Before you begin, have all transmitters which are to operate the system at hand.

1. Turn the ignition "on".
2. Within 5 seconds of Step 1, press the Valet Switch 5 times. The siren/horn will briefly sound, confirming that the system is ready to learn a transmitter code.
3. Press the "lock" button on the transmitter. The system will chirp the siren/horn once to confirm that the remote was learned.
4. If a code is not received within 10 seconds of Step 2, the learning process will automatically exit.

Programming Instructions

Standard Programming: This method to program additional or replacement transmitters does not affect the Unauthorized Transmitter Alert (UTA) feature. Before you begin, have all transmitters which are to operate the system at hand.

1. Turn the ignition "on".
2. Within 5 seconds of Step 1, press the Valet Switch 5 times. The siren/horn will briefly sound, confirming that the system is ready to learn a transmitter code.
3. Press the "lock" button on the transmitter. The system will chirp the

- siren/horn once to confirm that the remote was learned.
4. If a code is not received within 10 seconds of Step 2, the learning process will automatically exit.

Specification

Remote Control	
Works With Antenna(s)	HR LoRa ONLY
Battery Type	Rechargeable Lithium-Ion
FCC ID	ELVNTRRG
IC Number	
Frequency	900Mhz
Range	1-MILE
1-Way or 2-Way	2-WAY