7143L PAIR



Brand: Avital
Product Code: 7143L-PAIR
Stock: 1
UPC: 093207094880
FCC ID: EZSDEI474S
MPN: Avital 7143L
Location: Cleveland, Ohio

Price: $89.99

Short Description
Avital 1-Way Remotes — Pair of Two

Two Genuine Original Avital 7143L 1-Way 4-Button Remote Controls — FCC ID: EZSDEI474S. Replacement transmitters for compatible Avital car alarm, keyless entry and remote start systems. Replaces select Avital 473L, 474L, 476L, 477L and 7133L remote controls. **Two actual original 7143L remotes supplied.** Brand-new, limited remaining inventory. **$89.99 for two remotes.** Programming required for both remotes.

Description

Avital 7143L Original 1-Way 4-Button Remote Controls — Pair of Two

Replace lost, damaged or nonworking transmitters with two **brand-new, genuine original Avital 7143L 1-Way 4-Button remote controls**. These original Directed Electronics transmitters are designed for compatible earlier-generation Avital vehicle

security, keyless-entry and remote-start systems.

The Avital 7143L provides convenient wireless control of supported vehicle functions, including locking, unlocking and remote-start or auxiliary operations, depending on the installed system and configuration.

This listing includes **two genuine original Avital 7143L remote controls**. We have a limited quantity of these original transmitters remaining in stock. **Programming is required for both remotes.**

$89.99 for Two Remotes **TWO GENUINE ORIGINAL AVITAL 7143L REMOTES**

Two Brand-New 1-Way 4-Button Remote Controls

Limited Remaining Original Inventory

GENUINE AVITAL Two original Directed Electronics transmitters

1-WAY REMOTES Four-button transmitter design

ORIGINAL 7143L Two actual original remotes supplied

BRAND NEW Limited remaining inventory

Avital 7143L Replacement Remote Compatibility

The original Avital 7143L belongs to an earlier generation of Directed Electronics one-way remote controls. It may be used as a replacement for select original Avital

transmitters when the installed system and receiver support the same transmitter technology.

AVITAL 7143L Original Remote
Two Original Remotes Supplied

AVITAL 474L Earlier-Generation Remote
Verify Receiver Compatibility

AVITAL 473L Earlier-Generation Remote
Verify Receiver Compatibility

AVITAL 476L Earlier-Generation Remote
Verify Receiver Compatibility

AVITAL 477L Earlier-Generation Remote
Verify Receiver Compatibility

AVITAL 7133L Earlier-Generation Remote
Verify Receiver Compatibility

What you receive: Two genuine original Avital 7143L remote controls. The other model numbers above are compatibility references only and are not included. Interchangeability must be confirmed against the installed system and receiver.

Genuine Original Avital Remote Controls

The Avital 7143L is an original **Directed Electronics 1-Way transmitter**, not a generic reproduction or refurbished remote. It is intended for compatible Avital systems requiring this generation of remote-control technology.

Its four-button design provides convenient access to the functions supported by the installed system. The exact operation of each button depends on the vehicle's security or remote-start configuration.

Because the 7143L is an earlier-generation remote, confirming the original transmitter model and installed receiver is especially important. We recommend matching the FCC ID and system information before purchasing.

Avital 7143L Pair Product Specifications

7143L Remote Model / MPN
EZSDEI474S FCC ID
AVITAL Brand
1-WAY Remote Type
4 BUTTONS Transmitter Design
ORIGINAL Genuine Manufacturer Remote
BRAND NEW Product Condition
REQUIRED Vehicle Programming

Avital 7143L System Compatibility

The original Avital 7143L is intended for select earlier-generation Avital vehicle security, keyless-entry and remote-start systems. Compatibility depends on the installed

control module, antenna and receiver.

AVITAL SECURITY SYSTEMS

- 3100L
- 3300L
- 3305L

AVITAL REMOTE START SYSTEMS

- 2101L
- 4103L
- 4105L
- 4108L
- 4308L

AVITAL SECURITY & REMOTE START

- 5303L
- 5305L
- Other supported original-generation installations

System Model Reference: The models above are reference applications associated with this generation of Avital equipment. Confirm the installed receiver and original transmitter before ordering. A system model alone does not guarantee compatibility

across every revision.

Original Remote Identification: Check the model number and FCC ID printed on your existing remote control. Matching the original transmitter is the most reliable starting point.

Receiver Compatibility: Different generations of Avital equipment may use different transmitter technology. The installed antenna and receiver determine whether the 7143L can be learned.

Programming Required: Both Avital 7143L remotes must be programmed to a compatible, functioning system before use. Refer to the separate **Programming Instructions** tab.

Replacing an Earlier-Generation Avital Remote

Avital has offered several generations of remote controls for vehicle security and remote-start systems. Some earlier-generation transmitters share compatible receiver technology, but matching the Avital brand alone does not establish interchangeability.

When replacing an original remote, identify the model number on the back of the transmitter, check its FCC ID and verify the installed system's receiver. This helps ensure that the replacement can be successfully programmed.

Access 1 Alarm & Audio offers the **actual original Avital 7143L** for customers who specifically need this transmitter model rather than a different remote-control design.

{ "@context": "https://schema.org", "@type": "Product", "@id": "https://www.access1alarm.com/car-alarms-and-remote-start/remote-controls/avital/7143l/7143l-pair#product", "name": "Avital 7143L Original 1-Way 4-Button Remote Controls — Pair of Two", "description": "Two genuine original Avital 7143L one-way four-button remote controls for select compatible earlier-generation Avital security, keyless-entry and remote-start systems. Both brand new, limited remaining inventory. Programming required for both remotes.", "image": ["https://www.access1alarm.com/images/com_eshop/products/7143L-pair.jpg"], "url": "https://www.access1alarm.com/car-alarms-and-remote-start/remote-controls/avital/7143l/7143l-pair", "sku": "7143L-PAIR", "mpn": "7143L", "brand": { "@type": "Brand", "name": "Avital" }, "manufacturer": { "@type": "Organization", "name": "Directed Electronics" }, "category": "Automotive Security and Remote Start Replacement Remote Controls", "additionalProperty": [{"@type":"PropertyValue","name":"Included Quantity","value":2}, { "@type": "PropertyValue", "name": "FCC ID", "value": "EZSDEI474S" }, { "@type": "PropertyValue", "name": "Remote Type", "value": "1-Way 4-Button" }, { "@type": "PropertyValue", "name": "Remote Model", "value": "7143L" }, { "@type": "PropertyValue", "name": "Condition", "value": "Two Brand New Original Remotes" }, { "@type": "PropertyValue", "name": "Earlier-Generation Remote References", "value": "Avital 473L; 474L; 476L; 477L; 7133L. Verify installed receiver compatibility." }, { "@type": "PropertyValue", "name": "System Model References", "value": "Avital 2101L, 3100L, 3300L, 3305L, 4103L, 4105L, 4108L, 4308L, 5303L, 5305L. Receiver verification required." }, { "@type": "PropertyValue", "name": "Programming", "value": "Required for both remotes" }], "offers": { "@type": "Offer", "url": "https://www.access1alarm.com/car-alarms-and-remote-start/remote-controls/avital/7143l/7143l-pair", "priceCurrency": "USD", "price": "89.99", "availability": "https://schema.org/InStock", "itemCondition": "https://schema.org/NewCondition", "seller": { "@type": "Organization", "name": "Access 1 Alarm & Audio", "url": "https://www.access1alarm.com/" } } }

Programming Instructions

Avital 7143L Programming Instructions

Original 1-Way 4-Button Remote Control - Directed Electronics Learn Routine

Follow these instructions to program your **Avital 7143L remote control** to a compatible earlier-generation Avital security, keyless-entry or remote-start system.

Before beginning, locate the vehicle's **Valet/Programming Switch**. Earlier systems generally use a separate push-button installed beneath the dashboard. Some compatible systems use a programming button integrated into the windshield-mounted antenna or Control Center.

> **BEFORE YOU BEGIN**
>
> Make sure the security system is **disarmed** and the status LED has been **OFF for at least 60 seconds**.
>
> On some older installations, the separate Valet/Programming Switch connects to the control module's **BLUE two-pin port** using a gray wire and a black wire with a gray stripe.
>
> Have all remotes you intend to use available. Some systems require each transmitter to be programmed during the same learning session.

For compatible earlier-generation Avital remote-start systems using a separate Valet/Programming Switch.

1. **DOOR:** Open the driver's door and leave it open.
2. **KEY:** Turn the ignition key to the **ON** position. Do not start the engine.
3. **CHOOSE:** Within **10 seconds**, press and release the **Valet/Programming Switch once**.
4. **HOLD:** Press the Valet/Programming Switch **one more time and continue holding it**. Wait for the status LED to flash and the siren or horn to sound, if connected. **Do not release the switch.**
5. **TRANSMIT:** While continuing to hold the switch, press the **LOCK** button on the **Avital 7143L remote**. The system may chirp or flash to confirm that the remote was learned.
6. **ADDITIONAL REMOTES:** If your system supports learning additional remotes during the same session, repeat the transmitter step for each compatible remote.
7. **RELEASE:** Release the Valet/Programming Switch, turn the ignition **OFF**, and wait approximately

60 seconds.

For compatible earlier-generation Avital security-only or keyless-entry systems using a separate Valet/Programming Switch.

1. **DOOR:** Open the driver's door and leave it open.
2. **KEY:** Turn the ignition key to the **ON** position.
3. **CHOOSE:** Within **10 seconds**, press and release the **Valet/Programming Switch seven times**.
4. **HOLD:** On the **eighth press**, continue holding the Valet/Programming Switch. **Do not release it.**
5. **CONFIRM:** Wait for the status LED to flash and the siren or horn to sound, if connected. Continue holding the switch.
6. **TRANSMIT:** Press the **LOCK** button on the **Avital 7143L remote**. Wait for the system's confirmation, if available.
7. **ADDITIONAL REMOTES:** If supported, program additional compatible remotes before leaving programming mode.
8. **RELEASE:** Release the Valet/Programming Switch, turn the ignition **OFF**, and wait approximately **60 seconds**.

For compatible Avital remote-start systems equipped with a windshield-mounted **Control Center** containing an integrated programming button and status LED.

1. **DOOR:** Open the driver's door and leave it open.
2. **KEY:** Turn the ignition key to the **ON** position.
3. **CHOOSE:** Within **10 seconds**, press and release the windshield-mounted programming button **once**.
4. **HOLD:** Press the programming button **one more time and continue holding it**. Wait for the LED to flash and the siren or horn to sound, if connected.

5. **TRANSMIT:** While continuing to hold the button, press the **LOCK** button on the **Avital 7143L remote**.
6. **ADDITIONAL REMOTES:** Program additional compatible remotes during the same session, if supported.
7. **RELEASE:** Release the programming button, turn the ignition **OFF**, and wait approximately **60 seconds**.

For compatible Avital security or keyless-entry systems equipped with a windshield-mounted Control Center and integrated programming button.

1. **DOOR:** Open the driver's door and leave it open.
2. **KEY:** Turn the ignition key to the **ON** position.
3. **CHOOSE:** Within **10 seconds**, press and release the windshield-mounted programming button **seven times**.
4. **HOLD:** On the **eighth press**, continue holding the programming button. **Do not release it.**
5. **CONFIRM:** Wait for the status LED to flash and the siren or horn to sound, if connected.
6. **TRANSMIT:** While holding the programming button, press the **LOCK** button on the **Avital 7143L remote**.
7. **ADDITIONAL REMOTES:** Program any additional compatible remotes during the same session, if supported.
8. **RELEASE:** Release the programming button, turn the ignition **OFF**, and wait approximately **60 seconds**.

SEPARATE VALET/PROGRAM SWITCH: Usually mounted beneath the dashboard on earlier-generation systems.

WINDSHIELD CONTROL CENTER: Combines the status LED and programming button in one

windshield-mounted assembly.

REMOTE-START SYSTEMS: The procedures above use one press-and-release followed by another press-and-hold.

SECURITY-ONLY SYSTEMS: The procedures above use seven press-and-release operations followed by holding the eighth press.

PROGRAMMING CONFIRMATION: Depending on the installed system, a siren chirp, horn sound or LED flash may confirm successful enrollment.

IMPORTANT PROGRAMMING INFORMATION

The Avital 7143L must be programmed to a **compatible receiver and control module**. Matching the brand name alone does not guarantee compatibility.

Programming sequences may vary by system generation and installed configuration. If your system does not respond as described, consult the installation or owner's manual for your specific Avital control module.

After programming, turn the ignition OFF, allow the system to exit programming mode, and test the supported remote functions.

Specification

Remote Control	
Works With Antenna(s)	544N, 548T, 6102T, 6112T, 6166T, 6213T
Battery Type	CR2032
FCC ID	EZSDEI474S
Frequency	434Mhz
Range	1/4-Mile
1-Way or 2-Way	1-Way