Viper 7117V 1-Button 1-Way Replacement Remote Control Pair



Brand: Viper
Product Code: 7117V - PAIR
Stock: 10
UPC: 044476161452
MPN: 7117V PAIR
Location: Cleveland, Ohio

Price: $69.99

Short Description
Pair (2) of Viper 7117V 1-Button 1-Way Remote Controls

Description

Brand New Pair of Viper 7117V Replacement 1-Button 1-Way Remote Controls. Replaces the Discontinued 7111V and 7116V

This listing includes a brand new pair of Viper 7117V 1-button remote control transmitters. The Viper 7117V is the newest generation 1-button 1-way remote control featuring up to 1/4-mile operating range. It comes standard with the Viper 4119V and D9117V remote start systems and serves as the current replacement for the discontinued Viper 7111V and 7116V remote controls originally supplied with the Viper 4115V and 4118V systems. Whether you're replacing lost or damaged remotes, adding a second driver remote or keeping an extra transmitter available, this pair provides reliable performance and compatibility with a wide range of Viper and Directed Electronics remote start systems.

Purchase with confidence from Access 1 Alarm & Audio, Cleveland, Ohio's premier mobile electronics shop. Every Viper 7117V remote control sold by Access 1 is a genuine Viper transmitter sourced directly from the original manufacturer. No knockoffs, no

refurbished units and no reprogrammed returns—just authentic Viper quality backed by knowledgeable support and years of experience.

Compatible Viper Systems

- 4115V
- 4118V
- 4119V
- DS4
- DS4VP
- D9116V
- D9117V

Compatible Avital Systems

- 4003L
- 4111L
- 4113L
- 4115L
- 4118L
- 4119L

Compatible Automate Systems

- 4101A
- 4113A
- 4118AL
- AM6.2

Compatible Python Systems

- 411
- 441
- 4111P
- 4411P
- 4115P
- 4118P

Compatible Clifford Systems

- 4115X
- 4118X

Compatible DesignTech Systems

- 24921
- 24921B

Compatible Ready Remote Systems

- 4113R

Compatible MESA Systems

- 4415M

Programming Information

A working control module must already be installed in the vehicle before ordering these remote controls. Programming instructions are included and require access to the vehicle's valet/programming switch. Video programming assistance is available through our YouTube channel.

If you have an older system that uses a separate programming button instead of the windshield-mounted antenna control center with the integrated blue LED and programming/valet button, we recommend adding a replacement valet switch to your order before attempting remote programming.

Visit Our YouTube Channel

Please contact us if you have any questions regarding compatibility or programming.

Programming Instructions
Note: Make sure the system is disarmed, and the LED is off a minimum of 60-seconds prior to beginning the remote pairing process.

Preparing the system

1. Open drivers door
2. Turn the ignition ON.
3. Within 10-seconds, press and release the valet and programming button once, then press and hold it. The status LED begins flashing and the siren/horn (if connected) sounds to confirm the system is ready for pairing. Let go of the programming button.

4. Press the "REMOTE START" button of the 7117V transmitter. The vehicles horn/siren will honk if connected. You have now successfully learned the remote to the vehicles remote start system.
5. Turn the ignition OFF and WAIT approximately 60 seconds.

Specification

Remote Control	
Works With Antenna(s)	543X, 548T, 6102T, 6111T, 6112T, 6166T, 6167T, 6213T, A6167T, A6113T
Battery Type	CR2032
FCC ID	EZS7117V
IC Number	1513A-7117
Frequency	434Mhz
Range	1/4-Mile
1-Way or 2-Way	1-Way