

620TX



Brand: Prestige
Product Code: 620TX
Availability: 6
FCC ID: H50T32 H5OT32
MPN: 620TX
Location: Cleveland, Ohio

Price: \$39.99

Short Description

Prestige 620TX 1-Way 4-Button Remote Control

Description

New Prestige 620TX 1-Way 4-Button Remote Control Transmitter

Original Prestige 620TX 4-button remote control transmitter. Are you looking for a replacement Prestige remote control for your system or just need an additional remote control? Buy with confidence from Access 1 Alarm and Audio!

This remote control is from the original manufacturer ensuring that you are receiving a genuine product made for your system.

Made for the following Pursuit/Prestige TYPE 13 systems:

- APS101
- APS101N
- APS45C
- APS45N
- APS520
- APS620

- APS620N
- APS920
- PA420C
- PA620C
- PA720C
- PA920C
- PRO9845N

Replaces or works with the following Pursuit/Prestige remotes:

- 91P
- PROPL4TX
- 101TXP
- 140TXP
- 91MP
- 620TXP
- PROPLTX
- APS920TX2P
- APS620CFP
- APS920CF2P
- PA91
- 91PR
- PN1

Please make sure you have a working control unit installed in the vehicle prior to ordering this remote control. Programming instructions are included in the package and will require accessing your valet/programming switch located on your antenna.

Programming

Standard Programming: This method is used to program additional or replacement transmitters. Before you begin, have all transmitters which are to operate the system at hand.

1. Turn the ignition key to the on position.
2. Press and release the valet/programming switch 3 times (Siren Chirps).
3. Press the Lock Button of each transmitter you want programmed until you hear a chirp from the horn or siren.
4. Turn the ignition switch off.

The above action programs the Lock, Unlock, Start/Trunk, and Option 1 buttons which are typical for most systems. For additional channel programming beyond the option 1 button, please reference your owners manual.

Please contact us if you have any questions.

Specification

Remote Control	
Battery Type	23A
FCC ID	H50T32 H5OT32
Frequency	434Mhz
Range	1/4-MILE
1-Way or 2-Way	1-WAY